| sheet 1 of 2 | JAN 2 2 | () () () () () () () () () () | | | | | - | | | |
|--|--------------------|---|----------|----------|-----------------------------|-------|-------|--------------------------|--------------------|---------------------|
| INFORMATION DISCLOSURE STATEMENT | | | | | | | | SERIAL NO. 10/579,543 | | |
| Form PTO-1449 (Use several sheets if necessary) | | | | | APPLICANT Per Sonne Holm | | | | | |
| | | | | | FILING DATE 05-15-2006 | | | ROUP 632 | | |
| | | | U.S. | PATEN | T DOCUMENTS | | - | | | |
| EXAMINER INITIAL | DOCUMENT NUMBER | D | ATE | NAME | | CLASS | | SUB CLAS S | FILI | NG DATE PROPRIAT |
| | | | | | | | | | | |
| | | + | | - | | | | | - | |
| | | - | | | | | | | | |
| | | | | | | | | | | |
| | | - | | | | - | | | - | *** |
| | | U.: | S. PATEN | r APPLIC | CATION PUBLICA | TIONS | | L | | |
| EXAMINER DOCUMENT NUMBER | | DATE NAME | | | CLASS | SUB | CLASS | | NG DATE PROPRIA | |
| | | | - | - | | | _ | | | |
| | | | EODE | GN PAT | ENT DOCUMENTS | | | | _ | |
| | DOCUMENT NUME | ER | DATE | | UNTRY | CLASS | | T | TRANSI | ATION |
| | | | | | | | | SU B CL AS S | YES | NO |
| | | | | | | | | | | |
| | | | - | | | - | | - | | |
| | | | + | | | | | | | - |
| | | | | | | | | \vdash | | |

Serial No. 10/579,543 Docket No. 065477-0032 Information Disclosure Statement Page 4 of 6

| | OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.) |
|--------|---|
| /M.S./ | Fadlo R. Khuri et al., A controlled trial of intratumoral ONYX-015, Nature Medicine 6, 879-85, (Aug 2000) |
| | John A. Howe et al., Evaluation of El-Mutan Adenoviruses as Conditionally Replicating Agents for Cancer Therapy, Molecular Therapy Vol. 2, 485-95, (Nov. 2000) |
| | Cristina Balagué et al., Human Papillomavirus E6E7-Mediated Adenovirus Cell Killing, J. of Virology Vol. 75 No. 16, 7602-11, (Aug. 2001) |
| | Ulrike Stein et al., Hyperthermia-induced Nuclear Translocation of Transcription Factor YB-1 Leads to Enhanced Expression of Multidrag Resistance-related ABC Transporters, J. of Biological Chemistry, Vol. 276 No. 30, 28562-69, Uul. 2001) |
| | Scott M. Wilhelm et al., Bay 43-9006 Exhibits Broad Spectrum Oral Antitumor Activity and Targets the RAF/MEK/ERK Pathway and Receptor Tyrosine Kinases Involved in Tumor Progression and Angiogenesis, Cancer Research. 64, 7099-109, (Oct. 2004) |
| | Andrew Fribley et al., Proteasome Inhibitor PS-341 Induces Apoptosis through Induction of Endoplasmic Reticulum Stress-Reactive Oxygen Species in Head and Neck Squamous Cell Carcinoma Cells, Molecular and Cellular Biology Vol. 24 No. 22, 9695-704 (Nov. 2004) |
| | Kevin Camphausen et al., Enhancement of Xenograft Tumor Radiosensitivity by the Histone Deacetylase Inhibitor MS-275 and Correlation with Histone Hyperacetylation, Clinical Cancer Research, Vol.10, 6066-71 (Sept. 2004) |
| | Sylvie Wittman et al., Flavopiridol Down-Regulates Antiapoptotic Proteins and Sensitizes Human Breat Cancer Cells to Epothilone B-induced Apoptosis, Cancer Research Vol. 63, 93-99 (Jan. 2003) |
| | Judith Clancy Keen et al., A novel histone deacetylase inhibitor, Scriptaid, enhances expression of functional estrogen receptor a (ER) in ER negative hunan breast cancer cells in combination with 5-aza 2'-deaxycytidine, Breast Cancer Research and Treatment Vol. 81, 177-86, (2003) |
| | Seong Hwan Kim et al., Apicidin is a histone deacetylase inhibitor with anti-invasive and anti- angiogenic potentials, Biochemical and Biophysical Research Communications Vol. 315, 964-70 (2004) |
| | Emmanuelle Querido et al., Identification of Three Functions of the Adenovirus E4orf6 Protein That Mediate p33 Degradation by the E4orf6-E1B55K Complex, J.of Virology, Vol. 75 No. 2, 699-709 (Jan. 2001) |
| | Pierre A. Boulanger and Eric G. Blair, Expression and interactions of human adenovirus oncoproteins, Biochemistry J.Vol. 275, 281-99 (1991) |
| | Joan A. Howe et al., Evaluation of El-Mutant Adenoviruses as Conditionally Replicating Agents for Cancer Therapy, Molecular Therapy Vol. 2, 485-95 (Nov. 2000) |
| | W.C. Russell, Update on adenovirus and its vectors, J. of Virology, Vol. 81, 2573-2604 (2000) |
| | Ann E. Tollefson et al., The Adenovirus Death Protein (B3-11.6K) Is Required at Very Late Stages of Infection for Efficient Cell Lysis and Release of Adenovirus from Infected Cells, J. of Virology, Vol. 70, 2296-2306 (Apr. 1996) |
| | Ramya Sundararajan and Eileen White, E1B 19K Blocks Bax Oligomerization and Tumor Necrosis Factor Alpha-Medicated Apoptsis, J. of Virology, Vol. 75 No. 16, 7506-16 (Aug. 2001) |
| | V. Descamps et al., Strategies for cancer gene therapy using adenoviral vectors, J. Mol. Med., Vol. 74, 183-89 (1996) |
| | Anish Sen Majumdar et al., Efficacy of herpes sumplex virus thymidine kinase in combination with cytokine gene therapy in an experimental metastatic breast cancer model, Cancer Gene Therapy, Vol 7 No. 7, 1086-99 (2000) |

Serial No. 10/579,543 Docket No. 065477-0032 Information Disclosure Statement Page 5 of 6

| /M.S./ | Xinqiao Zhang et al., Adenoviral-mediated Retinoblastoma 94 Produces Rapid Telomere Erosion, Chromosomal Crisis, and Caspase-dependent Apoptosis in Bladder Cancer and Immortalized Human Urothelial Cells but not in Normal Urothlial Cells, Cancer Research, Vol 63, 760-65 (Feb. 2003) | | | | | |
|--------|--|--|--|--|--|--|
| | Karoly Toth et al., Radiation increases the activity of oncolytic adenovirus cancer gene therapy vectors that overexpress the ADP (E3-11.6K) protein, Cancer Gene Therapy, Vol. 10, 193-200 (2003) | | | | | |
| - | T.Yamaguchi et al., Enhancement of thymidine kinase-mediated killing of malignant glioma by BimS, a BH3-only cell death activator, Gene Therapy, Vol. 10, 375-85 (2003) | | | | | |
| | Lin Ji et al., Induction of Apoptosis and Inhibition of Tumorigenicity and Tumor Growth by Adenovirus Vector-mediated Fragile Histidine Triad (FHIT) Gene Overexpression, Cancer Research, Vol. 59, 3333-39 (Iul. 1999) | | | | | |
| | Zao-Zhong Su et al., Melanoma differentiation associated gene-1, mda-7/IL-24, selectively induces growth suppression, apoptosis and radiosensitization in malignant gliomas in a p53-independent manner, Oncogene, Vol. 22, 1164-1180 (2003) | | | | | |
| | Matti Ahonen et al., Antihumor Activity and Bystander effect of Adenovirally Delivered Tissue Inhibitor of Metalloproteinases-3, Molecular Therapy, Vol. 5 No. 6, 705-15, (June 2002) | | | | | |
| | Gerald A. Soff et al., Expression of Plasminogen Activator Inhibitor Type 1 by Human Prostate Carcinoma Cells Inhibits Primary Tumor Growth, Tumor-associated Angiogenesis, and Metastasis to Lung and Liver in an Athyymic Mouse Model, J. Clinical Investigation, Vol. 96, 2593-2600 (Dec. 1995) | | | | | |
| | Athina Efthymiadis, Lyndall J.Briggs, and David A. Jans, The HIV-1 Tat Nuclear Localization Sequence Confers Novel Nuclear Import Properties, J. of Biological Chemistry, Vol. 273 No. 3, 1623-28 (Jan. 1998) | | | | | |
| | Joann Tufariello, Sangho Cho, and Marshall S. Horwitz, The Adenovirus E3 14.7-Kilodalton Protein Which Inhibits Cytolusis by Tumor Necrosis Factor Increases the Virulence of Vaccinia Virus in a Murine Pneumonia Model, J. of Virology, Vol. 68 No. 1, 453-62 (Jan. 1994) | | | | | |
| | Anna-Marija Helt and Denise A. Galloway, Mechnisms by which DNA tumor oncoproteins target the Rb family of pocket proteins. Carcinogenesis, Vol. 24 No. 2, 159-69 (2003) | | | | | |
| | Sathyamangalam Swaminathan and BayarThimmapaya, Transactivation of Adenovirus E2-early Promote- by E1A and E4 6/7 in the Context of Viral Chromosome, J. Molecular Biology, Vol. 258, 736-46 (1996) | | | | | |
| | Wilma T. Steegenga, et al., The large E1B protein together with the E4orf6 protein target p53 for active degredation in adenovirus infected cells, Oncogene, Vol. 16, 349-57 (1998) | | | | | |
| | Konstantin Doronin et al., Tumor-Specific, Replication-Competent Adenovirus Vectors Overexpressing the Adenovirus Death Protein, J. of Virology, Vol. 74 No.13, 6147-55 (2000) | | | | | |
| | Pierre A. Boulanger, and G. Eric Blair, Expression and interactions of human adenovirus oncoproteins, Biochemistry J. Vol. 275, 281-99 (1991) | | | | | |
| | Silke Weigel and Matthias Dobbelstein, The Nuclear Export Signal within the E401/6 Protein of Adenovirus Type 5 Supports Virus Replication and Cytoplasmic Accumulation Of Viral mRNA, J. of Virology, Vyel. 74 No. 2, 764-72 (Jan. 2000) | | | | | |
| | Keith N. Leppard, Regulated RNA Processing and RNA Transport during Adenovirus Infection, Seminars in Virology, Vol. 8, 301-07 (1998) | | | | | |
| | Peter R. Mertens et al., Glomerular Mesangial Cell-specific Transactivation of Matrix Metalloproteinase 2 Transcription Is Mediated by YB-1, J. of Biological Chemistry, Vol. 272 No. 36. 22905-12 (1997) | | | | | |
| | Ching-Yi Chen et al., Nucleolin and YB-1 are required for JNK-mediated interleukin-2 mRNA stabilization during T-cell activation, Genes & Development, Vol.14, 1236-48 (2000) | | | | | |
| | Takefumi Ohga, et al., Role of the Human Y Box-binding Protein YB-1 in Cellular Sensitivity to the DNA-damaging Agents Cisplatin, Mitomycin C, and Ultraviolet Light, Cancer Research, Vol 56, 4224-28 (Sept 1996) | | | | | |

Serial No. 10/579,543 Docket No. 065477-0032 Information Disclosure Statement Page 6 of 6

| /M.S./ | Hiroto Izumi et al., Y box-binding protein-1 binds preferentially to single-stranded nucleic acids and exhibits 3'-5' exonuclease activity, Nucleic Acid Research, Vol. 29 No. 5, 1200 – 07 (2001) | | | | | | |
|--------|---|--|--|--|--|--|--|
| | Per S. Holm et al. YB-1 Relocates to the Nucleus in Adenovirus-infected Cells and Facilitates Viral Replication by Inducing E2 Gene Expression through the E2 Late Promoter 1. of Biological Chemistry, Vol. 277 No. 12, 10427-34 (Mar. 2002) | | | | | | |
| | Felicia D. Goodrum and David A. Ornelies, Roles for the E4 orf6, orf3, and E1B 55-Kilodalton Proteins in Cell Cycle-Independent Adenovirus Replication, J. of Virology, Vol. 73 No. 9, 7474-88 (Sept.1999). | | | | | | |
| | David M. Vigushin et al., Trichostatin A Is a Histone Deacetylase Inhibito with Potent Antitumor | | | | | | |
| | Activity agains Breast Cancer in Vivo, Clinical Cancer Research, Vol. 7, 971-76 (April 2001) Masaki Kitazono et al., Enhanced Adenovirus Transgene Expression in Malignant Cells Treated with | | | | | | |
| | the Histone Deacetylase Inhibitor, Cancer Research, Vol. 61, 6328-30 (Sept. 2001) | | | | | | |
| | Jerry Jaboin et al., MS-27-275, an Inhibitor of Histone Deacetylase, Has Marked in Vitro and in Viv. Antitumor Activity against Pediatric Solid Tumors, Cancer Research, Vol. 62, 6108-15 (Nov. 2002) | | | | | | |
| | Peter Atadja et al., Selective Growth Inhibition of Tumor Cells by a Novel Histone Deacetylase Inhibitor, NVP-LAQ824, Cancer Research, Vol. 64, 689-95 (Jan. 2004) | | | | | | |
| | Mark R. Gilbert et al., Phase I Clinical and Pharmacokinetic Study of Irinotecan in Adults with Recurrent Malignant Glioma, Clinical Cancer Research, Vol. 9, 2940-49 (Aug. 2003) | | | | | | |
| | Rajeev Rajendra et al., Differential Effects of the Breast Cancer Resistance Protein on the Cellular Accumulation and Cytotoxicity of 9-Aminocamptothecin and 9-Nitrocamptothecin, Cancer Research, Vol. 63, 3228-33 (June 2003) | | | | | | |
| | Monica Binaschi et al., Relationship between Lethal Effects and Topoisomerase II-Mediated Double Stranded DNA Breaks Produced by Anthracyclines with Different Sequence Specificty, Molecular Pharmacology, Vol. 51, 1053-59 (1997) | | | | | | |
| | Injac Chung et al., Use of L-plastin promoter to develop an adenoviral system that confers transgene expression in ovarian cancer cells but not in normal mesothelial cells, Cancer Gene Therapy, Vol. 6 No. 2, 99-106 (1999) | | | | | | |
| | Ilana Braunstein, et al., Human Telomerase Reverse Transcriptase Promoter Regulation in National and Malignant Human Ovarian Epithelial Cells, Cancer Research, Vol. 61, 5529-36 (Jul. 2001) | | | | | | |
| | AS Majumdar et al., The telomerase reverse transcriptase promoter drives efficacious tumor suicide gene therapy while preventing hepatotixicity encountered with constitutive promoters, Gene Therapy Vol. 8, 568-78 (2001) | | | | | | |
| | Matthias Dobbelstein et al., Nuclear export of the E1B 55k-Da and E4 34-kDa adenoviral oncoproteins mediated by a rev-like signal sequence, The EMBO J., Vol. 16 No. 14, 4276-84 (1997) | | | | | | |
| | Stuart A. Nicklin et al., Ablating Adenovirus Type 5 Fiber-CAR Binding and HI Loop Insertion of the SIGPPLP Peptide Generate an Endothial Cell-Selective Adenovirus, Molecular Therapy, Vol. 4 No. 6, 534-42 (Dec. 2001) | | | | | | |
| | Henry K. Wong and Edward B. Ziff, Complementary Functions of Ela Conserved Region 1 Cooperate with Conserved Region 3 to Activate Adenovirus Serotype 5 Early Promoters, J. of Virology, Vol. 68 No. 8, 4910-20 (Aug. 1994) | | | | | | |
| | /Magdalene Sgagias/ DATE CONSIDERED | | | | | | |

DC01\130308.1 ID\MD

applicant.